

Viscobille™ V3T

Rapid measurement of lubricants viscosity & Dilution of lubricating oils by Fuel oils



Industries concerned

- Automotive
- Rail
- Marine
- Navy
- Cement plant
- Steel industry, machining
- Power production
- Mine
- Construction
- Aerospace
- Defence
- Education
- Paper mill
- Agro-Industry
- Oil and Gas
- Chemistry
- Industry
- Analysis service

The new and improved Viscobille™ V3T viscometers by GESERCO give simple, rapid, accurate

and cost effective measurement of the viscosity of lubricating and hydraulic oils.

The viscosity measurement is direct and easy to perform as it does not require using any stop watch nor thermometer, nor thermostatic bath nor complex calculations.

The GESERCO Viscobille™ V3T is a light and rugged instrument which can be operated in the field by any non-specialized personnel.

Testing black oils made easy:

The new and improved Viscobille™ have **a built-in LED illuminator*** that lights up the test tubes making the measuring balls easy to view with black oils even when they are heavily loaded with pollutants.

(*option)

Features

The Viscobille™ V3T measuring scales provide direct and instant reading of four test results without using any thermometer, stop watch or complex calculation:

- cSt @ 40°C
- cSt @ 20°C
- ISO grade
- SAE grade

Other functions :

- Dilution: Viscobille™ V3T allows for the measurement of the dilution level of the engine lubricating oils with fuel oils up to 14%.
- Viscosity Index calculation
- Determination of the viscosity at 100 °C or any other reference temperature.

Product code

Product Code	Type	Application	LED	cSt @ 20°C	cSt @ 40°C
VT9009	V3T	VI100 & VI150 oils	√	Both Scales above	
VT9010					
VT9211	Storage Cabinet				